

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/538,543	06/10/2005	Loren Lantz	M-1107	3681
54964	7590 09/25/2006		EXAM	INER
TYCO HEALTHCARE - EDWARD S. JARMOLOWICZ			TOWA, RENE T	
15 HAMPSHI MANSFIELD	RE STREET , MA 02048		ART UNIT	PAPER NUMBER
	,		3736	
,		•	DATE MAILED: 09/25/2000	6

Please find below and/or attached an Office communication concerning this application or proceeding.

			1 / /		
	Application No.	Applicant(s)			
	10/538,543	LANTZ ET AL.			
Office Action Summary	Examiner	Art Unit			
	Rene Towa	3736			
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet w	ith the correspondence address	s		
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNI 136(a). In no event, however, may a will apply and will expire SIX (6) MOR e, cause the application to become A	CATION. reply be timely filed NTHS from the mailing date of this commur BANDONED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on	 '				
2a) This action is FINAL . 2b) ☑ This					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under l	Ex parte Quayle, 1935 C.E). 11, 453 O.G. 213.			
Disposition of Claims	•				
4) ⊠ Claim(s) 1-20 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-20 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	wn from consideration.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on 10 June 2005 is/are: a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine 11.	n)⊠ accepted or b)⊡ obje drawing(s) be held in abeya ction is required if the drawing	nce. See 37 CFR 1.85(a). g(s) is objected to. See 37 CFR 1.			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureat * See the attached detailed Office action for a list	ts have been received. ts have been received in A prity documents have beer tu (PCT Rule 17.2(a)).	Application No n received in this National Stag	ge .		
Attachment(s)					
1) Notice of References Cited (PTO-892)	4) Interview	Summary (PTO-413)			
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 7/18/06, 4/5/06. 		(s)/Mail Date Informal Patent Application 			

Application/Control Number: 10/538,543

Art Unit: 3736

DETAILED ACTION

Specification

1. The disclosure is objected to because of the following informalities:

At line 6 of page 1, at line 20 of pages 9 & 11, he disclosure makes reference to "PCT Application No. PCT/US03/_____," which should apparently read -- PCT Application No. PCT/US03/00256--.

At line 29 of page 10, "inner protuberances 54" should apparently read --inner protuberances 62-- as per line 23.

Appropriate correction is required.

Claim Objections

2. Claim 12 is objected to because of the following informalities:

At line 2-3 of the claim, the limitations "fingers" and "longitudinal ribs" render the claim indefinite; for example, it is unclear from the alternative language used in claim 1 whether or not the thermometer comprises a single or a plurality of "fingers" and "longitudinal ribs."

Appropriate correction is required.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claims 1-2, 5-9, 11 and 13-19 are rejected under 35 U.S.C. 102(b) as being anticipated by Sato (US Patent No. 3,738,173).

In regards to claim 1, Sato disclose(s) a tympanic thermometer comprising:

a heat sensing probe 11 defining a longitudinal axis and an outer surface
extending from a distal end of the tympanic thermometer;

an ejection apparatus 13 including at least one finger 13c extending from the distal end of the tympanic thermometer and being configured for movement along the outer surface of the probe 11; and


a probe cover 12 being mountable to the distal end of the tympanic thermometer, the probe cover 12 defining an inner surface configured to engage the outer surface of the probe 11, the probe cover 12 including at least one longitudinal rib 12d radially projecting from the inner surface thereof, the longitudinal rib defining a proximal face to facilitate ejection of the probe cover 12,

wherein the at least one finger 13c is configured to engage the proximal face (see figs. 4, 6 & 8-10; column 2/lines 30-48 & 51-57; column 3/lines 11-20; column 4/lines 45-56; column 5/lines 7-15; column 6/lines 34-38 & 55-64; column 7/lines 3-6, 30-38, 46-54 & 63-68).

In regards to claim 2, Sato disclose(s) a tympanic thermometer wherein the outer surface of the probe defines a groove 29, transversely oriented relative to the longitudinal axis, which is configured to receive a portion of the probe cover 12 for releasably retaining the probe cover 12 with the probe (see figs. 6 & 8; column 3/lines 11-20; column 5/lines 7-15; column 7/lines 3-6).

Application/Control Number: 10/538,543

Art Unit: 3736



In regards to claim 5, Sato disclose(s) a tympanic thermometer wherein the at least one finger 13c includes a tapered finger tip defining a distal strike face 13a (see fig. 9).

Application/Control Number: 10/538,543

Art Unit: 3736

In regards to claim 6, Sato disclose(s) a tympanic thermometer wherein the at least one finger 13c is movable between a retracted position (see fig. 9) and an extended position (see fig. 4).

In regards to claim 7, Sato disclose(s) a tympanic thermometer whereby the at least one finger 13c is biased to the extended position (see fig. 4; column 6/lines 55-64).

It is noted that the collar 13 is biased into the extended position against the force of spring 26 via retaining means 19 (see column 6/line 65 to column 7/line 2).

In regards to claim 8, Sato disclose(s) a tympanic thermometer whereby the at least one finger 13c is releasably fixable in a retracted position (see fig. 4; column 6/lines 55-64).

In regards to claim 9, Sato disclose(s) a tympanic thermometer wherein the at least one finger 13c is releasably fixable via a latch, whereby the latch includes a release button 15 that is engageable to release the at least one finger 13c from the retracted position (see fig. 9; column 7/lines 63-68).

In regards to claim 11, Sato disclose(s) a tympanic thermometer wherein the at least one longitudinal rib 12d has a transverse face having a substantially parallel orientation relative to the longitudinal axis of the probe (see fig. 9).

In regards to claim 13, Sato disclose(s) a tympanic thermometer comprising:
a heat sensing probe 11 defining a longitudinal axis and an outer surface
extending from a distal end of the tympanic thermometer, the probe defining a
transverse groove 29 in the outer surface;

an ejection apparatus 13 including at least one finger 13c extending from the distal end of the tympanic thermometer and being configured for movement along the outer surface of the probe, the at least one finger 13c being disposed for movement proximal to the transverse groove 29; and

a probe cover 12 having an inner surface being releasably mountable to the outer surface of the probe, the probe cover including at least one longitudinal rib 12d projecting from the inner surface of the probe cover 12, the at least one longitudinal rib defining a proximal face configured for engagement with the at least one finger 13c;

wherein the proximal face and the at least one finger 13 engage for moving the at least one finger 13 between a retracted position and an extended position (see figs. 4, 6 & 8-10; column 2/lines 30-48 & 51-57; column 3/lines 11-20; column 4/lines 45-56; column 5/lines 7-15; column 6/lines 34-38 & 55-64; column 7/lines 3-6, 30-38, 46-54 & 63-68).

In regards to claim 14, Sato disclose(s) a tympanic thermometer wherein the transverse groove 29 is disposed circumferentially about the outer surface of the probe and substantially perpendicular to the longitudinal axis of the probe (see figs. 6 & 8; column 3/lines 11-20; column 5/lines 7-15; column 7/lines 3-6).

In regards to claim 15, Sato disclose(s) a tympanic thermometer wherein the at least one finger 13 includes a tapered finger tip defining a distal strike face 13a (see fig. 9).

In regards to claim 16, Sato disclose(s) a tympanic thermometer wherein the distal strike face 13a is configured for engagement with the proximal face of the at least one longitudinal rib 12d (see figs. 4 & 9; column 6/lines 41-44).

In regards to claim 17, Sato disclose(s) a tympanic thermometer wherein the at least one finger 13 is biased to the extended position (see fig. 4).

It is noted that the collar 13 is biased into the extended position against the force of spring 26 via retaining means 19 (see column 6/line 65 to column 7/line 2).

In regards to claim 18, Sato disclose(s) a tympanic thermometer wherein the at least one finger 13 is releasably fixed in the retracted position (see fig. 9; column 7/lines 63-68).

In regards to claim 19, Sato disclose(s) a tympanic thermometer wherein the at least one finger 13c is releasably fixable via a latch, the latch including a release button 15 being engageable to release the at least one finger 13 from the retracted position (see figs. 4 & 9).

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 4, 10, 12 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sato ('173).

Sato discloses a tympanic thermometer, as disclosed above, that teaches all the limitations of the claims except Sato does not teach a plurality of fingers or longitudinal ribs. However, it would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to provide a thermometer similar to that of Sato with a plurality of fingers and longitudinal ribs since such a modification would amount to a design choice. It has previously been held that duplicating part for a multiple effect is not patentable--See *In re Harza*, 274 F.2d 669, 671, 124 USPQ 378, 380 (CCPA 1960).

More in regard to claim 12, it would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to provide a thermometer similar to that of Sato, as modified above, with a plurality of equidistantly spaced fingers and/or longitudinal ribs since such a modification would amount to a design choice. It has previously been held that changing aesthetic design is not patentable--See In re Seid, 161 F.2d 229, 231, 73 USPQ 431, 433 (CCPA 1947).

7. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Sato (173) in view of Makita et al. (US Patent No. 5,340,215).

Sato discloses a thermometer, as disclosed above, that teaches all the limitations of the claim except Sato does not disclose a plurality of protuberances projecting from the inner surface of the probe cover. However, Makita et al. disclose a thermometer wherein the portion of the probe cover 9 includes a protuberance projecting from the inner surface of the probe cover 9 and being proximally spaced from the distal end of the probe cover (see figs. 2 & 6; column 4/lines 53-54 & 59-61). Since Sato teaches a retaining means for releasably retaining the probe cover, it would have been obvious to

Art Unit: 3736

one of ordinary skill in the art at the time Applicant's invention was made to provide a thermometer similar to that of Sato with a protuberance similar to that of Makita et al. in order to releasably attach the probe cover to the probe. Moreover, it would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to provide a thermometer similar to that of Sato as modified by Makita et al. with a plurality of protuberances since such a modification would amount to a design choice. It has previously been held that duplicating part for a multiple effect is not patentable---See *In re Harza*, 274 F.2d 669, 671, 124 USPQ 378, 380 (CCPA 1960).

Conclusion

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

US Patent No. 4,112,762 to Turner et al. discloses a probe cover grip and release device.

US Patent No. 7,063,458 to Tabata et al. discloses an ear type clinical thermometer.

US Patent No. 4,588,306 to Burger et al. discloses an electronic thermometer probe assembly.

US Patent No. 3,999,434 to Yen discloses a temperature probe assembly and probe cover retainer.

US Patent No. 3,905,232 to Knute discloses electronic thermometer.

US Patent No. 6,053,875 to Rosenbaum et al. discloses a removable tip an acoustic reflectometer.

Art Unit: 3736

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rene Towa whose telephone number is (571) 272-8758. The examiner can normally be reached on M-F, 8:00-16:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on (571) 272-4726. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

RTT

MINK F. MINDENBURG

Page 10